



ESTEX



**1.800.749.1224**  
**LOCAL** 770.964.3322  
**FAX** 770.964.7534  
 P.O. BOX 368  
 402 E. Broad Street  
 Fairburn, GA 30213

WHERE IDEAS BECOME SOLUTIONS

# ESTEX

**NEW**  
 from ESTEX MFG

# TITAN RATED

Designed for the working professional in sensitive environments where overhead lifting is required.

**Independent 3rd party Load Tested and Certified. Certificate of compliance provided.**

**Certified maximum Safe Working Load Limit. Each bucket has a unique serial number provided to facilitate tracking and inspection protocols.**



**2075-1215V**  
 yellow vinyl  
 Load Rated at 180lbs



**2075-1215**  
 canvas duck  
 Load Rated at 115lbs



# FLAME RESISTANT PERFORMANCE

## CLASS III ANSI 107-2004

1240 sq inches background material & 310 sq inches of retro-reflective tape

### WOVEN MESH

**1616-FRS-MX**  
ADJ (M-2X)  
**1616-FRS-MXI**  
ADJ (M-2X)  
w/harness slot  
**1616-FRS-XX**  
ADJ (2X-4X)  
**1616-FRS-XXI**  
ADJ (2X-4X)  
w/harness slot

### KNITTED MESH

**1613-FRS-MX**  
ADJ (M-2X)  
**1613-FRS-MXI**  
ADJ (M-2X)  
w/harness slot  
**1613-FRS-XX**  
ADJ (2X-4X)  
**1613-FRS-XXI**  
ADJ (2X-4X)  
w/harness slot



This style features an adjustable **velcro front closure** with 3M FR silver reflective tape and sleeves to allow a full range of motion. This model limits the number of stock codes you need to carry in your inventory.

### STANDARD BY SIZE

This style features standard designs with 3M FR silver reflective tape and sleeves to allow a full range of motion. **Sizes Small to 5X available.**

**1616FR3SY-(size)**  
w/velcro closure  
**1616SLYZ-(size)**  
w/zipper closure

**1613FR3SY-(size)**  
w/velcro closure  
**1613SLYZ-(size)**  
w/zipper closure



Our light weight 5.7 oz standard mesh vests are ideal for employees in all the Utility industries, or environments that require practical Arc Flash protection and an ATPV value of 5.5.

Arc tested to ASTM 1506 Standard Mesh Modacrylic **will not melt, drip, or fuse** to the skin under extreme high temperatures.

### Evaluate these work hazards to determine if you need Class III level Protection

- Environmental Conditions (smoke, fog)
- Complexity of Work Zone
- Traffic Patterns
- Speed
- Time of Day

When choosing the correct vest a work hazard assessment should be performed. The more variables introduced into a work zone the greater the need for the highest classification of protection available. With options of the **Class II** or the **Class III**, you can have the level of protection right for your work zone.

## CLASS II ANSI 107-2004

775 sq inches background material & 210 sq inches of retro-reflective tape

### WOVEN MESH

Available w/  
Harness Slot  
**1616-FRA-SM**  
ADJ (S-M)  
**1616-FRA-MXL**  
ADJ (L-XL)  
**1616-FRA-2XL**  
ADJ (XL-2X)  
**1616-FRA-2XL**  
ADJ (2X-4X)

### KNITTED MESH

Available w/  
Harness Slot  
**1613-FRA-SM**  
ADJ (S-M)  
**1613-FRA-MXL**  
ADJ (L-XL)  
**1613-FRA-MXL**  
ADJ (XL-2X)  
**1613-FRA-2XL**  
ADJ (2X-4X)



This style features an **adjustable velcro closure** with 3M FR silver reflective tape.

### STANDARD BY SIZE

This style features standard designs with 3M FR silver reflective tape and sleeves to allow a full range of motion. **Sizes Small to 5X available.**

**1616-FR2-(size)**  
w/velcro closure  
**1616-FR2Z-(size)**  
w/zipper closure

**1613-FR2-(size)**  
w/velcro closure  
**1613-FR2Z-(size)**  
w/zipper closure



# PERFORMANCE ACCESSORIES



**1618-N-(S-2X)**  
Short sleeved shirt (NAVY)\*  
**1619-N-(S-2X)**  
Long sleeved shirt (NAVY)\*



**1618-OD-(S-2X)**  
Short sleeved shirt (OLIVE DRAB)\*  
**1619-OD-(S-2X)**  
Long sleeved shirt (OLIVE DRAB)\*

## COUNTERFIRE<sup>®</sup> 500

THE LOOK AND FEEL OF AN ATHLETIC PERFORMANCE SHIRT

This safety accessory has the attributes of your favorite sports wear, being constructed using wicking filament yarn, but enriched to deal with the hazards of the job. This material is Flame Resistant (FR), antimicrobial, and is constructed of a US made patent pending fabric, military tested and US Army approved.

Our shirts maximize on wearability features such as flat locked Nomex seams which become softer after the first wash and advanced technical design and placement of the seams reduces skin abrasion more effectively than conventional T-shirts.

### ASTM 1506 COMPLIANT

Flame Resistant. Will not melt, drip or fuse to skin under extreme high temperatures

### ASTM 1959 COMPLIANT

ATPV Value of 3.4

- BLACK
- WHITE
- OLIVE DRAB
- NAVY
- DESERT TAN

\*3X-5X sizes available upon request for ALL variations and colors



# PERFORMANCE ACCESSORIES

This canopy top is 8ft by 8ft and is made of inherently Flame Resistant Modacrylic material that will not drip if exposed to flame, and self extinguishes when the flame is removed. Color fast, mildew resistant, breathable, and allows UV protection.

The frame is made of lightweight coated steel with a fiberglass cathedral peak. No tools needed for setup with multiple height adjustments.

**2741-8FRPOP-I**

**Frame and canopy**

**2741-FRTOP-I**

**Canopy replacement**

**2741-CANOPY**

**Non FR frame and canopy**



This umbrella stands at 7ft with eight fiberglass ribs. It comes with an aluminum pole with a pointed end for placement. It is Fire Resistant to CPAI-84.

**2741-UMB-I**

**Umbrella**



This FR Rated Tent is of an easy pop-up design that can be set up and taken down in minutes. Made of inherently Flame Retardant fabric, with two tie down cords, there are many sizes available as well as Estex's special customization.

SpaceSaver roof struts are approximately 25% shorter which also makes the tent more stable for windy conditions while leaving plenty of headroom for work. SpaceSaver front and back walls are vertical rather than sloped, helping to shorten a folded tent and add to roominess.

**IT-2741-8**

**8 x 8 Pop-Up, 93in x 94in**

**IT-2741-8-20**

**8 x 10 Pop-Up, 93in x 120in**



**1.800.749.1224**  
**LOCAL** 770.964.3322  
**FAX** 770.964.7534


P.O. BOX 368  
402 E. Broad Street  
Fairburn, GA 30213

# WORK ZONE Safety Kit

When you are working in a 'jungle gym' structure, it can all start to look the same after a while, and a small lapse in concentration can cause an irreversible accident. In one such situation, a repair had already come to a close, when one member decided to help out a teammate in another part of the site. As he moved across the steel to their location, he misjudged and stepped outside the boundary, making contact with an energized riser which caused a fatal shock. Estex saw a need, to clearly mark danger boundaries and worked to develop the tools to fulfill it.

## STANDARD WORK ZONE SAFETY KIT

- (6 each) **velcro strap flag**  
I632-DA-VS
- (6 each) **dowel clamp flag**  
I632-DA10-SC
- (6 each) **dowel magnet flag**  
I632-DA10-MAG
- (5 each) **reusable tape**  
I635YBY-REEL
- (5 each) **wand flashlight**  
IHE-931
- (5 each) **eye-bolt magnet**  
IMM-100
- (1 each) **vinyl storage bag**  
2180-PGE-3



## OR CUSTOMIZE YOUR OWN KIT (all items also sold individually)

### 2180-PGE-3

12in x 30in

Vinyl storage bag, two handles and a zipper closure. Used to store items for substation zone kits.



### IMM-100

1.5in x 2.25in

Magnet with 100lb lifting capacity, side and top mounting holes; eye-bolts and nuts supplied with product.



### IHE-913

12in

Wand handle style flashlight in red, with a magnetic end.

**NOTE:** Not overly bright as to be a distraction or cause your eyes to dialate.



### I635YBY-REEL

2in x 300ft

Tape webbing barricade in yellow with a black stripe through the middle. Supplied on a reel for easy storage and reuse. Other colors available upon request.



### I632-DA-VS

16in x 18in

"DANGER" Flag in fluorescent red. 24in Velcro strip on top and center, and 40in Velcro strips on top and right corners with two yellow horizontal retro-reflective strips.



### I632-DA10-MAG

18in x 18in

"DANGER" Flag in fluorescent red. 2 reflective stripes on both sides. 14in wood dowel, bolted with nylon bolts to a special polyethylene pole bracket containing a 210lb rated magnet with a 2.5 diameter.



### I632-DA10-SC

18in x 18in

"DANGER" Flag in fluorescent red. 2 retro-reflective stripes on both sides. 24in wood dowel with a 9in nylon spring clamp heat welded to a wood dowel.



# MAGNETIC Accessories

## 1061-MAG

8in L x 5 1/2in W x 9 1/2in H

Our most popular nut and bolt bag has just gotten better.



## 181514HBME-MAG

15in L x 7in W x 9in H

The #1 choice in the field with 14 outside pockets and 15 inside pockets. Perfect for overhead and underground applications.



## 181514HBHQ2-MAG

15in L x 9in W x 11in H

OVERSIZED oval bucket. Wider and taller than our Standard bucket, yet functional with 14 o/s and 15 i/s pockets.



## 1820-HB-MAG

15in L x 7in W x 9in H

15 inside hand tool pockets with HardBody reinforcement.



## 1815-7MAG

15in L x 7in W x 9in H

14 outside pockets with the added protection of our INOSIL corrosion shield.



### FEATURE: MAGNET

Some of our most popular items, now with an added feature. With this magnetic strip securely attached to our buckets, bags, and boards, our products are more versatile than ever.

### FEATURE: HARDBODY

With the added support of HardBody, these oval buckets hold up under significant pressure. Look for the "HB" in the part # to know your bucket has been reinforced.



### FEATURE: INOSIL

Lined with INOSIL on the interior of the tool pockets, this bucket model organizes and protects your tools, against rust and damage while you work.



# TOOL BOARDS

## IP-1829-BL-5MAG

18in L x 4in W x 20in H

Polyethylene tool board with a magnetic bar to hold washers, nuts, and bolts.



## 1829-DP-MAG

23 7/8in L x 4in W x 21 1/4in H

Our most popular tool board with a magnetic bar to hold washers, nuts, and bolts.

